The Dalles Dam Fishway Status Report

Date: 6/1/2014 **Inspection Period:** 5/25/2014 to 5/31/2014

THE DALLES DAM



The Dalles Project-Fisheries P.O. Box 564

The Dalles, OR 97058-9998 Phone: 541-506-3800

Fishways are inspe	ected twice	daily plus	one SCADA inspe	ction
--------------------	-------------	------------	-----------------	-------

			spected twice daily plus one SCAD				
The Dalles Dam	Inspections	Criteria	Total Number of Inspections:		emperature:	58.0	F
The Danes Dani	Out of Criteria	Limit	Comments	S	ecchi:	3.5 feet	
			NORTH FISHWAY				
Exit differential	0	≤ 0.5'					
Count station differential	0	≤ 0.3'					
Weir crest depth	0	1.0' ± 0.1'					
Entrance differential	0	1.0' - 2.0'					
Entrance weir N1	0	depth (≥ 8')					
Entrance weir N2	0	Closed					
PUD Intake differential	0	≤ 0.5'					
			EAST FISHWAY				
Exit differential	0	≤ 0.5'					
Removable weirs 154-157	0		Auto adjusts 1' increments.				
Weir 158-159 differential	0	1.0' ± 0.1'					
Count station differential	0	≤ 0.3'					
Weir crest depth	0	1.0' ± 0.1'					
Junction pool weir JP6	0	depth (≥ 7')	Manually adjusted as needed.				
East entrance differential	0	1.0' - 2.0'	Average 1.5	Fish u	nit outage 0356	-0524 for maint	enance
Entrance weir E1	0	No criteria	Average 7.0	Manu	ually adjusted.		
Entrance weir E2	0	depth (≥ 8')	Average 12.4				
Entrance weir E3	0	depth (≥ 8')	Average 11.4				
Collection channel velocity	0	1.5 - 4 fps	Average 2.7				
Transportation channel velocity	0	1.5 - 4 fps	Average 2.6				
North channel velocity	0	1.5 - 4 fps	Average 2.1				
South channel velocity	0	1.5 - 4 fps	Average 2.3				
West entrance differential	0	1.0' - 2.0'	Average 1.5				
Entrance weir W1	0	depth (≥ 8')	Average 11.9				
Entrance weir W2	0	depth (≥ 8')	Average 11.9				
Entrance weir W3	closed	No criteria	Average closed				
South entrance differential	0	1.0' - 2.0'	Average 1.5				
Entrance weir S1	0	depth (≥ 8')	Average 10.4				
Entrance weir S2	0	depth (≥ 8')	Average 10.4				
			JUVENILE PASSAGE				
Sluicegate operation	0	1, 8, 18	MU 18 off ~30 min for rolling unit of	outage; Uni	t 17 and 19 on	during that time).
Turbine trashrack drawdown	0	<1.5', wkly	Range 0.2' - 0.5'.				
Spill volume	13	40%+-1%	Average 37.2 <	<40% due to	o gas cap		
Spill Pattern	0	per FPP					
Turbine Unit Priority	14	per FPP	Full MW demand with T8 limiting ι	unit availabi	lity		
Turbine 1% Efficiency	0	per FPP					

OTHER ISSUES:

Birds/Sea lions:

Bird observation data collected once daily. Gull numbers slightly decrease down stream of bridge and increasing below powerhouse. Refer to map. Hazing effectiveness downstream of bridge minimal. Gulls circle and come right back to same location. Hazing more effective below powerhouse. No sea lion sightings for this week.

Operations:

Spill reduced from 40% due to gas cap. As expected, a noticeable affect of increased north fishladder passage with spill <100KCFS.

Spill attraction flow being proposed for October to provide more attraction to the north fishladder. Trip to ERDC model planned for August.

Current Outages:

T8 (MU15 & MU16) de-rated to single unit full load ops through 2017. Out of service several days for maintenance.

MU22 out of service 3/24 to 5/15/2014 for overhaul.

MU20 dewatering attempted, but delayed due to excessive leakage. Fish units reduced to half load 5/27, 0715-0815 during tail log installation.

Maintenance:

Parts for new weir 158/159 arriving. Most parts will arrive pre cut to assemble. Wheel fabrication starting.

North fishway pump motor replacement ordered.

Nine collection channel pumps to be removed/inspected for maintenance issues in preparation for next winter dewatering.

Investigating purchase of permanent oil boom to install in forebay of east exit.

Planning to install equalizing valve for PUD intake bulkhead for next winter dewatering.

Long term repair plans funding dependent; Upgrade east exit weirs 154-157, stabilize north ladder rock walls, remove collection channel diffusers, replace all entrance weir wheels with plastic composite wheels and repair/modify all east fishway dewatering pumps.

Fish related but non-fish funded items; spillway evaluation, spillway crane rehab, spillgate 10/11 wire rope replacement, update fish unit reliability assessment, planning upgrade fish unit breakers and fish unit transformer replacement.

All spillway items on Critical Infrastructure list and Unfunded Requirement list

Studies:

PIT - PSMFC PIT tag monitoring continues at count stations. No issues.

EFL - Plan of backup water through dam, under roadway and into AWS conduit at junction pool. Starting Plans and Specs. Construction winter 2015. Coordination in progress for test pits excavation between fishladder and fishlock parking area in Nov. ADCP flow velocity survey in June and Nov. East Fish Ladder backup design team kickoff meeting and site visit occurred in admin conference room 29 May.

PUD - PUD 'freedom' second turbine proposal for north fishway in FERC review process. COE reviewed and commented.

Research/Contractors:

ODFW Northern Pikeminnow Management Program evaluation electrofishing; No sampling at The Dalles this week.

Fish counters on site at north and east count stations 16 hours a day 1 April through 30 October.

PSMFC PUD weekly sampling continues. Subyearling smolt starting to arrive. Subyearling fry majority of sample.

Normandeau fish counting program 4/1 through 10/31. Night video starts mid June.

Fish Field Unit investigating north count station mods to improve video counting capability. Site visit 27 May.

USDA hazer's launching pyrotechnics from downstream navlock peninsula. Also on call for sea lion hazing and pigeon removal as needed. University of Idaho maintaining antennas.

Removal last set of 3 derelict Vertical Barrier Screens from MU 12 gate well slot scheduled week of Aug11. Coordination in progress.


WDFW started dam angling of predatory northern pike minnow from the BRZ adjacent to the project.

Approved by:


Ron D. Twiner

Operation Project Manager

The Dales Dam



Hazing activity primarily in SW-T4 Numbers reflect weekly range of daily averages




	DART The Dalles Adult Ladders Daily Usage with Spill Percent and Outflow																													
		Chir	nook			Jack Cl	hinook			Steel	head			Steelhe	ad Wile	d		Soc	keye		Coho	Coho Jack Coho Lamprey		Spill	O u					
Date	Lad	eft Ider	Lad	ght Ider		eft Ider	Lad	ght der	Led Lad	eft der	Ì	ght Ider		eft Ider	Lac	ght Ider		eft Ider	Lad	ght der										Pct K
	Pct	#	Pct	#	Pct	#	Pct	#	Pct	#	Pct	#	Pct	#	Pct	#	Pct	#	Pct	#					0					
5/25	90.4	1530	9.6	163	99.7	377	0.3	1	100.0	8	0.0	0	100.0	1	0.0	0		0		0				38.0	344.3					
5/26	97.3	1492	2.7	41	99.6	463	0.4	2	100.0	31	0.0	0	100.0	6	0.0	0		0		0		These species not				38.4	336.6			
5/27	91.1	1289	8.9	126	98.6	340	1.4	5	100.0	16	0.0	0	100.0	2	0.0	0		0		0	These specie			37.9	357.7					
5/28	90.7	1748	9.3	179	98.5	392	1.5	6	94.4	17	5.6	1	100.0	4	0.0	0	100.0	2	0.0	0				nese species not	37.2	350.2				
5/29	81.6	844	18.4	190	98.1	265	1.9	5	100.0	17	0.0	0	100.0	6	0.0	0		0		0		present '	YTD	38.0	340.3					
5/30	94.2	1178	5.8	73	100.0	298	0.0	0	100.0	22	0.0	0	100.0	5	0.0	0	100.0	4	0.0	0				38.5	337.5					
5/31	79.1	798	20.9	211	94.4	268	5.6	16	88.9	16	11.1	2	66.7	2	33.3	1	85.7	6	14.3	1]								33.7	314.2
Date		Chir	nook			Jack Cl	hinook			Steelhead			Steelhead Wild		d	Sockeye					A	verages								
YTD	Lad P	eft Ider ct	Lad P	ght Ider ct 0.0	Lac P	eft Ider ct 3.6	Lad P	ght der ct .4	Lad	ct	Lad P	ght Ider ct .3	Lad P	eft Ider ct	Lac P	ght Ider ct .7	Lad	eft Ider ct	Rig Lad P	der ct			37.4	340.1						

^{1.} The species passage percent is not calculated for either ladder on a day, if either the Right Ladder or Left Ladder species count is: negative or null for the day.

^{2.} Ladder orientations reference the side of the river when facing downstream.

^{3.} Data Provided Courtesy of U.S. Army Corps of Engineers



	Forebay	Tailwater	_
	57.5	57.6	SU
	57.7	57.8	MC
USGS	58.0	58.0	TUI
	58.1	58.1	WE
	58.4	58.1	THU
DATA	58.0	58.1	FF
	58.1	58.1	SA
AVG:	<i>5</i> 8	AV	

	Secchi:
SUN	3.5
MON	3.5
TUES	4.0
WED	3.5
THUR	4.0
FRI	3.0
SAT	3.0
AVG:	3.5
	•

The Dalles Dam Daily Readings and Averages for Temperatures, Secchi, Entrances, and Spill

= out of criteria

	North Fish	h Ladder	East Fish Ladder													
	North Er	ntrance	rance East Entrance						West Er	ntrance		Sou	Spill%			
Date:	Date: Differential N1 D		Differential	E1 Depth	E2 Depth	E3 Depth	JP 6	Differential	W1 Depth	W2 Depth	W3 Depth	Differential	S1 Depth	S2 Depth		
			1.5	10.1	12.1	10.2	16.2	1.5	11.9	11.9		1.6	10.0	10.0		
5/25/14	1.3	10.0	1.6	10.0	12.0	10.6	16.6	1.4	12.0	12.0		1.6	10.1	10.1	36.5	
	1.3	10.0	1.5	8.5	12.0	10.1	16.1	1.5	11.4	11.4		1.5	10.0	10.0	37.2	
			1.6	8.5	11.9	9.3	15.3	1.6	11.5	11.5		1.5	10.1	10.1		
5/26/14	1.3	10.0	1.5	10.0	12.5	9.5	15.5	1.4	12.0	12.0		1.4	10.5	10.5	37.0	
	1.4	10.0	1.5	7.9	12.3	9.3	15.3	1.6	11.4	11.4		1.5	10.4	10.4	39.0	
			1.4	7.0	12.5	10.4	16.4	1.6	11.4	11.4		1.5	10.4	10.4		
5/27/14	1.4	10.0	1.3	7.1	12.6	14.6	16.1	1.5	11.5	11.5		1.4	10.6	10.6	38.7	
	1.4	10.0	1.5	6.0	12.6	13.4	16.4	1.5	12.0	11.9	C	1.5	10.5	10.4	38.1	
			1.4	6.0	12.5	13.7	16.6	1.5	12.0	11.9		1.4	10.6	10.7		
5/28/14	1.4	9.9	1.5	6.0	12.4	12.2	16.2	1.5	12.0	12.0	0	1.5	10.5	10.5	38.8	
	1.4	9.9	1.4	6.0	12.6	12.5	16.5	1.5	12.0	12.0	S	1.5	10.5	10.4	36.6	
			1.6	6.1	12.6	11.9	15.9	1.5	12.0	12.1	е	1.5	10.5	10.5		
5/29/14	1.3	9.9	1.6	6.1	12.6	11.9	15.9	1.6	12.0	12.1	d	1.5	10.6	10.6	36.9	
	1.3	9.9	1.6	5.9	12.5	12.3	16.3	1.5	12.0	12.1		а	1.5	10.6	10.5	37.2
			1.7	6.0	12.4	11.3	15.3	1.5	12.0	12.0		1.5	10.4	10.5		
5/30/14	1.3	9.9	1.7	5.9	12.5	11.2	15.2	1.5	12.0	12.0		1.5	10.6	10.5	40.2	
	1.3	10.0	1.5	6.0	12.4	11.3	15.3	1.5	12.1	12.0		1.4	10.6	10.6		
			1.6	5.9	12.5	10.8	14.8	1.5	12.0	12.0		1.5	10.5	10.5		
5/31/14	1.2	10.1	1.4	6.0	12.5	11.4	15.4	1.5	11.9	11.9		1.5	10.6	10.6	33.5	
	1.3	10.1	1.7	6.0	12.5	11.0	15.0	1.4	12.0	12.1		1.4	10.5	10.5	34.2	
AVG:	1.3	10.0	1.5	7.0	12.4	11.4	15.8	1.5	11.9	11.9		1.5	10.4	10.4	37.2	



Large sturgeon showing up for the annual fishway shad buffet. Up to 5 mature adults greater than 7' seen at one time in bend of transportation channel. Many also observed through junction pool and lower ladder.